Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2830	544/114, 544/238, 544/239, 514/236.5, 514/252.02, 514/252.03, 514/252.04, 514/252.05, 514/252.06	US-PGPUB; USPAT	OR	OFF	2005/10/19 14:55
L2	1831	CDK2	US-PGPUB; USPAT	OR	OFF	2005/10/19 14:53
L3	39	l1 and l2	US-PGPUB; USPAT	OR	OFF	2005/10/19 14:53
L4	2130	544/114, 544/238, 544/239, 514/236.5, 514/252.02, 514/252.03, 514/252.04, 514/252.05, 514/252.06	USPAT	OR	OFF	2005/10/19 14:55

chain bonds :
1-8 4-7 5-18 6-19 9-10 10-11 12-13 13-14
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6
exact/norm bonds :
1-2 1-6 1-8 2-3 3-4 4-5 4-7 5-6 5-18 9-10 10-11 12-13 13-14
exact bonds :
6-19

G2:[*1],[*2]

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:Atom 9:CLASS 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 18:CLASS 19:CLASS

L1 STRUCTURE UPLOADED

=> d l1
L1 HAS NO ANSWERS
L1 STR



G1
G2 [@1],[@2]

Structure attributes must be viewed using STN Express query preparation.

=> s l1
SAMPLE SEARCH INITIATED 08:42:39 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 59 TO ITERATE

100.0% PROCESSED 59 ITERATIONS 9 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 720 TO 1640
PROJECTED ANSWERS: 9 TO 360

L2 9 SEA SSS SAM L1

```
=> s l1 sss full
FULL SEARCH INITIATED 08:42:46 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -     1173 TO ITERATE

100.0% PROCESSED     1173 ITERATIONS                          103 ANSWERS
SEARCH TIME: 00.00.01

L3          103 SEA SSS FUL L1

=> file caplus
COST IN U.S. DOLLARS                          SINCE FILE      TOTAL
                                                 ENTRY    SESSION
FULL ESTIMATED COST                             161.33     161.54

FILE 'CAPLUS' ENTERED AT 08:42:52 ON 19 OCT 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)
```



```
FILE COVERS 1907 - 19 Oct 2005  VOL 143 ISS 17
FILE LAST UPDATED: 18 Oct 2005  (20051018/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

http://www.cas.org/infopolicy.html

=> s l3
L4          24 L3

=> d ibib abs hitstr tot
```

L4 ANSWER 1 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 2005:1059734 CAPLUS
DOCUMENT NUMBER: 143:306326
TITLE: Production of 4-benzimidazol-2-yl-pyridazin-3-one derivatives and use thereof in medicaments
INVENTOR(S): Schoenafinger, Karl; Hoelder, Sven; Will, David Wilhelm; Metz, Hans; Mueller, Guenther; Bomart, Martin
PATENT ASSIGNEE(S): Aventis Pharma Deutschland G.m.b.H., Germany
SOURCE: PCT Int. Appl., 126 pp.
CODEN: PIXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005085230	A1	20050915	WO 2005-EP2179	20050302
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
DE 102004010194	A1	20051013	DE 2004-102004010194	20040302
PRIORITY APPLN. INFO.:			DE 2004-102004010194A	20040302

GI

L4 ANSWER 1 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)
deprotection of V (Y2 = protecting group). Thus, 4-(6-trifluoromethyl-1H-benzimidazol-2-yl)-6-(pyridin-4-yl)-2H-pyridazin-3-one [I; A = B = N = CH, D = C-CF3, R1 = 4-pyridinyl, R2 = H] was prepd. from 3-oxo-6-(pyridin-4-yl)-2,3-dihydropyridazin-4-carbonylic acid via chlornation with SOCl2 in (MeO)CH2Cl2, followed by amination with 4-(trifluoromethyl)benzene-1,2-diamine in (MeO)CH2Cl2 contg. Et3N and cyclocondensation of the amide in AcOH. Said compds. are kinase inhibitors, particularly inhibitors of kinase GSK-3β (glycogen synthase kinase-3β). The enzyme inhibitory activity of I [A = B = N = CH, D = C-CF3, R1 = 4-pyridinyl, R2 = H] was detd. [IC50 = 16 nM].
IT 864464-66-2P
RL: RCT (Reactant); SFN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
preparation and cyclocondensation of; preparation of 4-benzimidazol-2-yl-pyridazin-3-one derivs. with GSK-3β inhibitory activity
RN 864464-66-2 CAPLUS
CN INDEX NAME NOT YET ASSIGNED



IT 864464-01-7P
RL: RCT (Reactant); SFN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
preparation and cyclocondensation or saponification/cyclocondensation of; preparation of
4-benzimidazol-2-yl-pyridazin-3-one derivs. with GSK-3β inhibitory activity
RN 864464-01-7 CAPLUS
CN INDEX NAME NOT YET ASSIGNED



L4 ANSWER 1 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



I II III



IV V

AB The invention relates to compds. I [A = CR3, N; B = CR4, N; D = CR5, N; E = CR6, N; R1 = halogen, un-, monosubstituted C1-10-alkyl, heterocyclyl, aryl, heteroaryl [optionally substituted with halogen, CN, NO2, OR7, COR7, CO2R7, OC(=O)R7, NR7R8, NHCOR7, CONR7R8, NHCSR7, CSNR7R8, SR7, SOR7,SO2R7, NHSO2R7, SO2NR7R8, O-SO2R7, SO2-OR7, aryl, heteroaryl, heterocycle, CF3, OCF3]; R2 = H, C1-10-alkyl; R3, R4, R5, R6 = H, halogen, CN, NO2, CHZN2, CHZNH2, CHZNH(C1-6-alkyl), CHZN(C1-6-alkyl)2, CHZOH, CHZO-(C1-6-alkyl), OR8, COR8, CO2R8, OC(=O)R8, NR7R8, NHCOR8, CONR7R8, NHCSR8, CSNR7R8, SR8, SOR8,SO2R8, NHSO2R8, SO2NR7R8, O-SO2R8, SO2-OR8, (un)substituted aryl, heteroaryl, heterocycle, CF3, OCF3; R7, R8 = H, un-monosubstituted C1-10-alkyl, C2-10-alkenyl, C2-10-alkynyl, heterocyclyl, aryl, heteroaryl aryl = 5- to 10-membered aromatic mono- or bicyclic ring; heteroaryl = 5- to 10-membered aromatic mono- or bicyclic heterocycle with one or more heteroatoms = N, O, S; heterocycle = 5- to 10-membered non-aromatic mono- or bicyclic ring with one or more heteroatoms = N, O, S; with the proviso that up to three of A, B, D, E can equal N simultaneously; etc.] in addition to the physiol. compatible salts thereof, methods for the production of said compds. and the use thereof as medicaments. The procedure for the preparation
of I comprises: reaction of pyridazinone II [Y = H, leaving group] with diamine III whereby cyclization takes place (a) in the presence of an acid or H2O removing radium when Y = leaving group or (b) through oxidation, especially
in the presence of O2, when Y = H. Alternatively, I can be prepared from pyridazin-3-one IV [Y1 = halogen, B(OH)2, Sn(C1-10-alkyl)3; Y2 = H, protecting group] via palladium-catalyzed coupling with XIZ [Z = halogen, B(OH)2, B(C1-10-alkyl)2, Sn(C1-10-alkyl)3, Zn(C1-10-alkyl)] followed by

L4 ANSWER 1 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)
REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN

```
ACCESSION NUMBER:        2005:1002888  CAPLUS
DOCUMENT NUMBER:         143:286437
TITLE:                   Preperetion of 4-benzimidazol-2-yl-pyridezin-3-ones as
                         cyclin dependent kinase 2 inhibitors
PATENT ASSIGNEE(S):      Aventie Pherma S. A., Fr.
SOURCE:                  Ger. Offen., 37 pp.
                         CODEN: GWXXBX
DOCUMENT TYPE:           Patent
LANGUAGE:                German
FAMILY ACC. NUM. COUNT:  1
PATENT INFORMATION:

     PATENT NO.          KIND    DATE        APPLICATION NO.          DATE
     ---------------     ----    --------    --------------------     --------
     DE 102004010207      A1     20050915    DE 2004-102004010207     20040302
     WO 2005085231        A1     20050915    WO 2005-EP2569           20050218
         W:  AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
             CN, CO, CR, CU, C2, DE, DK, DM, D2, EC, EE, EG, ES, FI, GB, GD,
             GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, K2, LC,
             LK, LR, LS, LT, LU, LV, MA, MD, NG, MK, MN, MW, MX, MZ, NA, NI,
             NO, N2, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM,
             SY, TJ, TN, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, 2W
         RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, S2, T2, UG, ZM, ZW, AM,
             A2, BY, KG, K2, MD, RU, TJ, TM, AT, BE, BG, CH, CY, C2, DE, DK,
             EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, NC, NL, PL, PT,
             RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML,
             NR, NE, SN, TD, TO
PRIORITY APPLN. INFO.:                       DE 2004-102004010207A  20040302
```

GI



I



II

AB Title compds. I (A = CR3, N; B = CR4, N; D = CR5, N; E = CR8, N; R3, R4,

L4 ANSWER 2 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

R5 = H, helo, CN, etc.; R1 = helo, elkyl; R2 = H, elkyl; R8 = H, elkyl, alkenyl, etc.) end their phermaceutically eccepteble selts end formulations were prepd. For exemple, sepon. of Ne ester II (K = OMe) afforded cleimed cerboxylic ecid II (K = OH). In cyclin dependent kinase 2 inhibition assays, 3-exemples of compds. I exhibited IC50 values renging from 0.026-0.214 μM.

IT 864464-01-7P 864464-06-2P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparetion of benzimidazolylpyridazinones as cyclin dependent kinase 2 inhibitors)

RN 864464-01-7 CAPLUS
CN INDEX NAME NOT YET ASSIGNED



RN 864464-06-2 CAPLUS
CN INDEX NAME NOT YET ASSIGNED



L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN

```
ACCESSION NUMBER:        2004:411321  CAPLUS
DOCUMENT NUMBER:         140:423683
TITLE:                   Preperation of pyridezinones as protein Tau
                         phosphoryletion inhibitors, their drugs and
                         pharmaceutical compositions containing them for
                         treatment, in particular, of central and peripheral
                         nervous system diseases
INVENTOR(S):             Lesuisse, Dominique; Halley, Franck; Baudoin, Bernard;
                         Rooney, Thomas; Hoelder, Swen; Naumann, Thorsten;
                         Tiraboschi, Gilles
PATENT ASSIGNEE(S):      Aventis Pharma Sa, Fr.
SOURCE:                  Fr. Demande, 65 pp.
                         CODEN: FRXXBL
DOCUMENT TYPE:           Patent
LANGUAGE:                French
FAMILY ACC. NUM. COUNT:  1
PATENT INFORMATION:

     PATENT NO.          KIND    OATE        APPLICATION NO.          OATE
     ---------------     ----    --------    --------------------     --------
     FR 2847253           A1     20040521    FR 2002-14443            20021119
     CA 2506022           AA     20040603    CA 2003-2506022          20031119
     WO 2004046130        A1     20040603    WO 2003-EP12949          20031119
         W:  AE, AG, AL, AM, AT, AU, A2, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
             CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
             GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
             LK, LR, LS, LT, LU, LV, MA, ND, HG, NK, MN, HW, MX, MZ, NI, NO,
             N2, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ,
             TN, TN, TR, TT, TZ, UA, UG, U2, VC, VN, YU, 2A, ZM, ZW
         RW: BW, GH, GM, KE, LS, MW, N2, SD, SL, S2, T2, UG, 2N, 2W, AM, A2,
             BY, KG, K2, ND, RU, TJ, TM, AT, BE, BG, CH, CY, C2, DE, DK, EE,
             ES, FI, FR, GB, GR, HU, IE, IT, LU, HC, NL, PT, RO, SE, SI, SK,
             TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
     WO 2004046117        A1     20040603    WO 2003-EP12950          20031119
         W:  AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
             CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
             GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
             LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO,
             NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ,
             TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW
         RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, S2, T2, UG, ZM, ZW, AM, AZ,
             BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, C2, DE, DK, EE,
             ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK,
             TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
     US 2004176377        A1     20040909    US 2003-715358           20031119
     US 2005026918        A1     20050203    US 2003-715556           20031119
     EP 1581505           A1     20051005    EP 2003-775372           20031119
         R:  AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, NC, PT,
             IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK
PRIORITY APPLN. INFO.:                       FR 2002-14443        A  20021119
                                             US 2003-438336P      P  20030107
                                             WO 2003-EP12950      W  20031119
OTHER SOURCE(S):         MARPAT 140:423683
```

GI

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



I



II

AB Title compds. I (wherein A = CONHR, or NHCOR; R = (un)substituted heteroeryl/eryl/alkyl, hetero/aryl, fused hetero/eryl with cycloelkyl, etc.; Ar = (un)substituted aryl, Ph, pyridinyl; end their recemates, enantiomers, diestereomers, mixts., tautomers end phermaceuticelly acceptable selts] were prepered as protein Tau phosphorylation inhibitors. Three standard pharmaceutical compns. ere given. For exemple, II wes prepared by acylation of 3-Oxo-6-phenyl-2,3-dihydropyridazine-4-cerboxylic acid with 2,4-dichlorobenzylamine. Selected invention compds. I inhibited phosphorylation of protein Tau with an IC50 < 100 μM. Thus, I and their pharmaceutical compns. are useful as kinase inhibitors and for treatment, in particular, of central and peripheral nervous system diseases (no data).

IT 691848-75-6P, N-(2,4-Dichlorobenzyl)-3-oxo-6-[4-(benzyloxy)phenyl]-2,3-dihydropyridazine-4-carboxamide 691848-77-8P, N-Benzyl-3-oxo-6-[4-(hydroxy)phenyl]-2,3-dihydropyridazine-4-carboxamide
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(intermediate; preparation of pyridazinones as protein Tau phosphorylation inhibitors for treating central and peripheral nervous system diseases)

RN 691848-75-6 CAPLUS
CN 4-Pyridazinecarboxamide, N-[(2,4-dichlorophenyl)methyl]-2,3-dihydro-3-oxo-6-(4-(phenylmethoxy)phenyl]- (9CI) (CA INDEX NAME)

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 691848-77-8 CAPLUS
CN 4-Pyridinecarboxamide, 2,3-dihydro-6-(4-hydroxyphenyl)-3-oxo-N-(phenylmethyl)- (9CI) (CA INDEX NAME)



IT 691848-21-2P, N-(2,4-Dichlorobenzyl)-3-oxo-6-phen-4-yl-2,3-dihydropyridazine-4-carboxamide 691848-24-5P, N-(2,4-Dichlorobenzyl)-3-oxo-6-(pyridin-4-yl)-2,3-dihydropyridazine-4-carboxamide 691848-28-9P, N-Benzyl-3-oxo-6-(pyridin-4-yl)-2,3-dihydropyridazine-4-carboxamide 691848-31-4P, N-(4-Chlorobenzyl)-3-oxo-6-(pyridin-4-yl)-2,3-dihydropyridazine-4-carboxamide 691848-33-6P, N-(2-Chlorobenzyl)-3-oxo-6-(pyridin-4-yl)-2,3-dihydropyridazine-4-carboxamide 691848-36-9P, N-[(2,6-Dichlorophenyl)ethyl]-3-oxo-6-(pyridin-4-yl)-2,3-dihydropyridazine-4-carboxamide 691848-38-1P, N-[2-(2,4-Dichlorophenyl)ethyl]-3-oxo-6-(pyridin-4-yl)methyl-2,3-dihydropyridazine-4-carboxamide 691848-43-8P, 3-Oxo-6-(pyridin-4-yl)-N-[3-(trifluoromethyl)benzyl]-2,3-dihydropyridazine-4-carboxamide 691848-45-0P, 3-Oxo-6-(pyridin-4-yl)-N-[4-(trifluoromethyl)benzyl]-2,3-dihydropyridazine-4-carboxamide 691848-47-2P, N-(3,5-Dichlorobenzyl)-3-oxo-6-(pyridin-4-yl)-2,3-dihydropyridazine-4-carboxamide 691848-48-3P, 3-Oxo-6-(pyridin-4-yl)-N-(m-butyl)-2,3-dihydropyridazine-4-carboxamide 691848-51-9P, 2-[[[3-Oxo-6-(pyridin-4-yl)-2,3-dihydropyridazin-4-yl]carbonyl]amino]propionic acid ethyl ester 691848-53-0P, 3-Oxo-6-(pyridin-4-yl)-N-(pyridin-3-ylmethyl)-2,3-dihydropyridazine-4-carboxamide 691848-55-2P, 3-Oxo-6-(pyridin-4-yl)-N-[(pyridin-2-yl)methyl]-2,3-dihydropyridazine-4-carboxamide 691848-57-4P, N-(3,4-Dichlorobenzyl)-3-oxo-6-(pyridin-4-yl)-2,3-dihydropyridazine-4-

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)
carboxamide 691848-59-6P, N-[4-(Morpholin-4-yl)benzyl]-3-oxo-6-(pyridin-4-yl)-2,3-dihydropyridazine-4-carboxamide 691848-67-6P, N-(4-Hydroxybenzyl)-3-oxo-6-(pyridin-4-yl)-2,3-dihydropyridazine-4-carboxamide 691848-70-1P, N-(2,4-Dichlorobenzyl)-3-oxo-6-[4-(hydroxyphenyl)-2,3-dihydropyridine-4-carboxamide 691848-81-4P, N-(2,4-Dichlorobenzyl)-3-oxo-6-(2-benzyl-4-hydroxyphenyl)-2,3-dihydropyridazine-4-carboxamide 691848-84-7P, N-(2,4-Dichlorobenzyl)-3-oxo-6- (pyridin-2-yl)-2,3-dihydropyridazine-4-carboxamide 691848-89-8P, N-(2,4-Dichlorobenzyl)-3-oxo-6-[pyridin-3-yl]-2,3-dihydropyridazine-4-carboxamide 691848-93-2P, N-(4-Chlorobenzyl)-3-oxo-6-[4-(hydroxyphenyl)-2,3-dihydropyridazine-4-carboxamide 691848-95-4P, N-(2,4-Dichlorobenzyl)-3-oxo-6-[4-(hydroxyphenyl)-2,3-dihydropyridazine-4-carboxamide 691848-97-6P, N-(2,4-Dichlorobenzyl)-3-oxo-6-[4-(hydroxyphenyl)-2,3-dihydropyridazine-4-carboxamide 691848-99-8P, N-(2,4-Dichlorobenzyl)-3-oxo-6-[4-(hydroxyphenyl)-N-(pyridin-4-ylmethyl)-2,3-dihydropyridazine-4-carboxamide 691849-00-8P, 3-Oxo-6-[4-(hydroxyphenyl)-N-[3-(trifluoromethyl)benzyl]-2,3-dihydropyridazine-4-carboxamide 691849-02-0P, 3-Oxo-6-[4-(hydroxyphenyl)-N-[4-(trifluoromethyl)benzyl]-2,3-dihydropyridazine-4-carboxamide 691849-10-2P, N-(3,5-Dichlorobenzyl)-3-oxo-6-[4-(hydroxyphenyl)-2,3-dihydropyridazine-4-carboxamide 691849-11-3P, 3-Oxo-6-[4-(pyridinyl)phenyl]-N-(n-butyl)-2,3-dihydropyridazine-4-carboxamide 691849-12-4P, 3-Oxo-6-[4-(hydroxyphenyl]-N-(pyridin-3-ylmethyl)-2,3-dihydropyridazine-4-carboxamide 691849-13-5P, 3-Oxo-6-[4-(hydroxyphenyl]-N-(pyridin-2-ylmethyl)-2,3-dihydropyridazine-4-carboxamide 691849-14-6P, N-(3,4-Dichlorobenzyl)-3-oxo-6-[4-(hydroxyphenyl)-2,3-dihydropyridazine-4-carboxamide 691849-15-7P, N-[4-(Morpholin-4-yl)benzyl]-3-oxo-6-[4-(hydroxyphenyl]-2,3-dihydropyridazine-4-carboxamide 691849-16-8P, N-(4-Hydroxybenzyl)-3-oxo-6-[4-(hydroxyphenyl)-2,3-dihydropyridazine-4-carboxamide 691849-17-9P, N-(2,4-Dichlorobenzyl)-3-oxo-6-[4-(hydroxyphenyl-3-yl)-2,3-dihydropyridazine-4-carboxamide 691849-18-0P, N-Benzyl-3-oxo-6-[4-(hydroxyphenyl-3-yl)-2,3-dihydropyridazine-4-carboxamide 691849-19-1P, N-(4-Chlorobenzyl)-3-oxo-6-(4-(hydroxyphenyl-3-yl)-2,3-dihydropyridazine-4-carboxamide 691849-20-4P, N-[2-Chlorobenzyl)-3-oxo-6-[4-(hydroxyphenyl-3-yl]-2,3-dihydropyridazine-4-carboxamide 691849-21-5P, N-[2-(2,4-Dichlorophenyl)ethyl]-3-oxo-6-[4-(hydroxyphenyl-3-yl)-2,3-dihydropyridazine-4-carboxamide 691849-22-6P, N-(2,4-Dichlorophenyl)-3-oxo-6-[4- (hydroxyphenyl-3-yl]-2,3-dihydropyridazine-4-carboxamide 691849-23-7P, 3-Oxo-6-[4-(hydroxyphenyl-3-yl]-N-(pyridin-4-ylmethyl)-2,3-dihydropyridazine-4-carboxamide 691849-24-8P, 3-Oxo-6-[4-(hydroxyphenyl-3-yl]-N-[3-(trifluoromethyl)benzyl]-2,3-dihydropyridazine-4-carboxamide 691849-25-9P, 3-Oxo-6-[4-(hydroxyphenyl-3-yl]-N-[4-(trifluoromethyl)benzyl]-2,3-dihydropyridazine-4-carboxamide 691849-26-0P, N-[3,5-Dichlorobenzyl)-3-oxo-6-[4-(hydroxyphenyl-3-yl]-2,3-dihydropyridazine-4-carboxamide 691849-27-1P, 3-Oxo-6-[4-(hydroxyphenyl-3-yl]-N-(n-butyl)-2,3-dihydropyridazine-4-carboxamide 691849-28-2P, 3-Oxo-6-[4-(hydroxyphenyl-3-yl]-N-(pyridin-3-ylmethyl)-2,3-dihydropyridazine-4-carboxamide

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 691849-31-4 CAPLUS
CN 4-Pyridinecarboxamide, N-[4-chlorophenyl)methyl]-2,3-dihydro-3-oxo-6-(4-pyridinyl)- (9CI) (CA INDEX NAME)

RN 691849-33-6 CAPLUS
CN 4-Pyridinecarboxamide, N-[(2-chlorophenyl)methyl]-2,3-dihydro-3-oxo-6-(4-pyridinyl)- (9CI) (CA INDEX NAME)



RN 691849-36-9 CAPLUS
CN 4-Pyridinecarboxamide, N-[2-(2,4-dichlorophenyl)ethyl]-2,3-dihydro-3-oxo-6-(4-pyridinyl)- (9CI) (CA INDEX NAME)

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 691848-24-5 CAPLUS
CN 4-Pyridinecarboxamide, N-[(2,4-dichlorophenyl)methyl]-2,3-dihydro-3-oxo-6-(4-pyridinyl)- (9CI) (CA INDEX NAME)



RN 691848-28-9 CAPLUS
CN 4-Pyridinecarboxamide, 2,3-dihydro-3-oxo-N-(phenylmethyl)-6-(4-pyridinyl)- (9CI) (CA INDEX NAME)

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)
691848-29-2P, 3-Oxo-6-(4-(hydroxyphenyl)-3-yl)-N-(pyridin-2-ylmethyl)-2,3-dihydropyridazine-4-carboxamide **691848-30-8P**, N-(3,4-Dichlorobenzyl)-3-oxo-6-(4-(hydroxyphenyl-3-yl)-2,3-dihydropyridazine-4-carboxamide **691848-31-9P**, N-[4-(Morpholin-4-yl)benzyl]-3-oxo-6-(4-(hydroxyphenyl)-3-yl)-2,3-dihydropyridazine-4-carboxamide **691848-32-0P**, N-(4-Hydroxybenzyl)-3-oxo-6-(4-(hydroxyphenyl-3-yl)-2,3-dihydropyridazine-4-carboxamide **691848-33-1P**, N-(2,4-Dichlorobenzyl)-N-[3-(pyridin-2-yl)-2,3-dihydropyridazin-4-yl]acetamide **691849-34-0P**, N-(2,4-Dichlorobenzyl)-3-oxo-6-[4-(hydroxyphenyl)-2,3-dihydropyridazine-4-carboxamide **691849-35-8P**, 3-Oxo-6-[4-(hydroxyphenyl)-N-(pyridin-3-ylmethyl)-2,3-dihydropyridazine-4-carboxamide



RN 691848-25-6 CAPLUS
CN 4-Pyridinecarboxamide, N-[(2,4-dichlorophenyl)methyl]-2,3-dihydro-3-oxo-6-(4-pyridinyl)- (9CI) (CA INDEX NAME)

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 691848-38-1 CAPLUS
CN 4-Pyridazinecarboxamide, N-(2,4-dichlorophenyl)-2,3-dihydro-3-oxo-6-(4-pyridinyl)- (9CI) (CA INDEX NAME)



RN 691848-41-6 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-3-oxo-6-(4-pyridinyl)-N-(4-pyridinylmethyl)- (9CI) (CA INDEX NAME)



RN 691848-43-8 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-3-oxo-6-(4-pyridinyl)-N-[[3-(trifluoromethyl)phenyl]methyl]- (9CI) (CA INDEX NAME)

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 691848-51-8 CAPLUS
CN D-Alanine, N-[(2,3-dihydro-3-oxo-6-(4-pyridinyl)-4-pyridazinyl)carbonyl]-, ethyl ester (9CI) (CA INDEX NAME)



RN 691848-53-0 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-3-oxo-6-(4-pyridinyl)-N-(3-pyridinylmethyl)- (9CI) (CA INDEX NAME)



RN 691848-55-2 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-3-oxo-6-(4-pyridinyl)-N-(2-pyridinylmethyl)- (9CI) (CA INDEX NAME)



L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 691848-45-0 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-3-oxo-6-(4-pyridinyl)-N-[[4-(trifluoromethyl)phenyl]methyl]- (9CI) (CA INDEX NAME)



RN 691848-47-2 CAPLUS
CN 4-Pyridazinecarboxamide, N-[(3,5-dichlorophenyl)methyl]-2,3-dihydro-3-oxo-6-(4-pyridinyl)- (9CI) (CA INDEX NAME)



RN 691848-49-4 CAPLUS
CN 4-Pyridazinecarboxamide, N-butyl-2,3-dihydro-3-oxo-6-(4-pyridinyl)- (9CI) (CA INDEX NAME)

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

RN 691848-57-4 CAPLUS
CN 4-Pyridazinecarboxamide, N-[(3,4-dichlorophenyl)methyl]-2,3-dihydro-3-oxo-6-(4-pyridinyl)- (9CI) (CA INDEX NAME)



RN 691848-59-6 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-N-[[4-(4-morpholinyl)phenyl]methyl]-3-oxo-6-(4-pyridinyl)- (9CI) (CA INDEX NAME)



RN 691848-67-6 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-N-[(4-hydroxyphenyl)methyl]-3-oxo-6-(4-pyridinyl)- (9CI) (CA INDEX NAME)



RN 691848-79-0 CAPLUS
CN 4-Pyridazinecarboxamide, N-[(2,4-dichlorophenyl)methyl]-2,3-dihydro-6-(4-hydroxyphenyl)-3-oxo- (9CI) (CA INDEX NAME)

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 691848-91-4 CAPLUS
CN 4-Pyridazinecarboxamide, N-[(2,4-dichlorophenyl)methyl]-2,3-dihydro-6-[4-hydroxy-3-(phenylmethyl)phenyl]-3-oxo- (9CI) (CA INDEX NAME)



RN 691848-89-2 CAPLUS
CN 4-Pyridazinecarboxamide, N-[(2,4-dichlorophenyl)methyl]-2,3-dihydro-3-oxo-6-(2-pyridinyl)- (9CI) (CA INDEX NAME)



RN 691848-99-4 CAPLUS
CN 4-Pyridazinecarboxamide, N-[(2,4-dichlorophenyl)methyl]-2,3-dihydro-3-oxo-

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

RN 691849-03-3 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(4-hydroxyphenyl)-3-oxo-N-[(3-pyridinylmethyl)-3-oxo- (9CI) (CA INDEX NAME)



RN 691849-06-6 CAPLUS
CN 4-Pyridazinecarboxamide, N-(2,4-dichlorophenyl)-2,3-dihydro-6-(4-hydroxyphenyl)-3-oxo- (9CI) (CA INDEX NAME)



RN 691849-07-7 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(4-hydroxyphenyl)-3-oxo-N-(4-pyridinylmethyl)- (9CI) (CA INDEX NAME)



L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)
6-(3-pyridinyl)- (9CI) (CA INDEX NAME)



RN 691849-03-3 CAPLUS
CN 4-Pyridazinecarboxamide, N-[(4-chlorophenyl)methyl]-2,3-dihydro-6-(4-hydroxyphenyl)-3-oxo- (9CI) (CA INDEX NAME)



RN 691849-04-4 CAPLUS
CN 4-Pyridazinecarboxamide, N-[(2-chlorophenyl)methyl]-2,3-dihydro-6-(4-hydroxyphenyl)-3-oxo- (9CI) (CA INDEX NAME)



L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

RN 691849-08-8 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(4-hydroxyphenyl)-3-oxo-N-[[3-(trifluoromethyl)phenyl]methyl]- (9CI) (CA INDEX NAME)



RN 691849-09-9 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(4-hydroxyphenyl)-3-oxo-N-[[4-(trifluoromethyl)phenyl]methyl]- (9CI) (CA INDEX NAME)



RN 691849-10-2 CAPLUS
CN 4-Pyridazinecarboxamide, N-[(3,5-dichlorophenyl)methyl]-2,3-dihydro-6-(4-hydroxyphenyl)-3-oxo- (9CI) (CA INDEX NAME)

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 691849-11-3 CAPLUS
CN 4-Pyridazinecarboxamide, N-butyl-2,3-dihydro-6-(4-hydroxyphenyl)-3-oxo- (9CI) (CA INDEX NAME)



RN 691849-12-4 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(4-hydroxyphenyl)-3-oxo-N-(3-pyridinylmethyl)- (9CI) (CA INDEX NAME)



RN 691849-13-5 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(4-hydroxyphenyl)-3-oxo-N-(2-pyridinylmethyl)- (9CI) (CA INDEX NAME)

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 691849-17-9 CAPLUS
CN 4-Pyridazinecarboxamide, N-[(2,4-dichlorophenyl)methyl]-2,3-dihydro-6-(4-hydroxy-2-pyridinyl)-3-oxo- (9CI) (CA INDEX NAME)



RN 691849-18-0 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(4-hydroxy-3-pyridinyl)-3-oxo-N-(phenylmethyl)- (9CI) (CA INDEX NAME)



RN 691849-19-1 CAPLUS
CN 4-Pyridazinecarboxamide, N-[(4-chlorophenyl)methyl]-2,3-dihydro-6-(4-hydroxy-2-pyridinyl)-3-oxo- (9CI) (CA INDEX NAME)

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 691849-14-6 CAPLUS
CN 4-Pyridazinecarboxamide, N-[(3,4-dichlorophenyl)methyl]-2,3-dihydro-6-(4-hydroxyphenyl)-3-oxo- (9CI) (CA INDEX NAME)



RN 691849-15-7 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(4-hydroxyphenyl)-N-[(4-(4-morpholinyl)phenyl]methyl]-3-oxo- (9CI) (CA INDEX NAME)



RN 691849-16-8 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(4-hydroxyphenyl)-N-[(4-hydroxyphenyl)methyl]-3-oxo- (9CI) (CA INDEX NAME)

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 691849-20-4 CAPLUS
CN 4-Pyridazinecarboxamide, N-[(2-chlorophenyl)methyl]-2,3-dihydro-6-(4-hydroxy-3-pyridinyl)-3-oxo- (9CI) (CA INDEX NAME)



RN 691849-21-5 CAPLUS
CN 4-Pyridazinecarboxamide, N-[2-(2,4-dichlorophenyl)ethyl]-2,3-dihydro-6-(4-hydroxy-3-pyridinyl)-3-oxo- (9CI) (CA INDEX NAME)



RN 691849-22-6 CAPLUS
CN 4-Pyridazinecarboxamide, N-(2,4-dichlorophenyl)-2,3-dihydro-6-(4-hydroxy-3-pyridinyl)-3-oxo- (9CI) (CA INDEX NAME)

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 691849-23-7 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(4-hydroxy-3-pyridinyl)-3-oxo-N-(4-pyridinylmethyl)- (9CI) (CA INDEX NAME)



RN 691849-24-8 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(4-hydroxy-3-pyridinyl)-3-oxo-N-[[3-(trifluoromethyl)phenyl]methyl]- (9CI) (CA INDEX NAME)



RN 691849-25-9 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(4-hydroxy-3-pyridinyl)-3-oxo-N-[(4-(trifluoromethyl)phenyl]methyl]- (9CI) (CA INDEX NAME)

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 691849-29-3 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(4-hydroxy-3-pyridinyl)-3-oxo-N-(2-pyridinylmethyl)- (9CI) (CA INDEX NAME)



RN 691849-30-6 CAPLUS
CN 4-Pyridazinecarboxamide, N-[(3,4-dichlorophenyl)methyl]-2,3-dihydro-6-(4-hydroxy-3-pyridinyl)-3-oxo- (9CI) (CA INDEX NAME)



RN 691849-31-7 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(4-hydroxy-3-pyridinyl)-N-[(4-(4-morpholinyl)phenyl]methyl]-3-oxo- (9CI) (CA INDEX NAME)

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 691849-26-0 CAPLUS
CN 4-Pyridazinecarboxamide, N-[(3,5-dichlorophenyl]methyl]-2,3-dihydro-6-(4-hydroxy-3-pyridinyl)-3-oxo- (9CI) (CA INDEX NAME)



RN 691849-27-1 CAPLUS
CN 4-Pyridazinecarboxamide, N-butyl-2,3-dihydro-6-(4-hydroxy-3-pyridinyl)-3-oxo- (9CI) (CA INDEX NAME)



RN 691849-28-2 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(4-hydroxy-3-pyridinyl)-3-oxo-N-(3-pyridinylmethyl)- (9CI) (CA INDEX NAME)

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 691849-32-8 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-N-[(4-hydroxyphenyl)methyl]-6-(4-hydroxy-3-pyridinyl)-3-oxo- (9CI) (CA INDEX NAME)



RN 691849-33-9 CAPLUS
CN Benzeneacetamide, 2,4-dichloro-N-[2,3-dihydro-3-oxo-6-(4-pyridinyl)-4-pyridazinyl]- (9CI) (CA INDEX NAME)



RN 691849-34-0 CAPLUS
CN 4-Pyridazinecarboxamide, N-[(2,4-dichlorophenyl)methyl]-2,3-dihydro-3-oxo-6-(4-pyrimidinyl)- (9CI) (CA INDEX NAME)

L4 ANSWER 3 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 4 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 2004:205958 CAPLUS
DOCUMENT NUMBER: 142:93705
TITLE: Product class 8: pyridazines
AUTHOR(S): Haider, N.; Holzer, W.
CORPORATE SOURCE: Germany
SOURCE: Science of Synthesis (2004), 16, 125-249
CODEN: SSCYJ9
PUBLISHER: Georg Thieme Verlag
DOCUMENT TYPE: Journal; General Review
LANGUAGE: English
AB A review. Methods of preparing pyridazines are reviewed including cyclization, ring transformation, aromatization, and substituent modification.
IT 87768-84-8
RL: RCT (Reactant); RACT (Reactant or reagent)
(review of preparation of pyridazines via cyclization, ring transformation, aromatization, and substituent modification)
RN 87769-56-0 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-3-oxo-6-phenyl- (9CI) (CA INDEX NAME)

REFERENCE COUNT: 720 THERE ARE 720 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 5 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 2003:293427 CAPLUS
DOCUMENT NUMBER: 139:294783
TITLE: 5-Aryl-pyrazolo[3,4-b]pyridines: potent inhibitors of glycogen synthase kinase-3 (GSK-3)
AUTHOR(S): Witherington, Jason; Bordas, Vincent; Haigh, David; Hickey, Deirdre M. B.; Ife, Robert J.; Rawlings, Anthony D.; Slingsby, Brian P.; Smith, David G.; Ward, Robert W.
CORPORATE SOURCE: Neurology Centre of Excellence for Drug Discovery, Department of Medicinal Chemistry, GlaxoSmithKline Research Limited, Harlow, CM19 5AW, UK
SOURCE: Bioorganic & Medicinal Chemistry Letters (2003), 13(9), 1581-1584
CODEN: BMCLE8; ISSN: 0960-894X
PUBLISHER: Elsevier Science B.V.
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 139:94783
AB Introduction of a nitrogen atom into the 6-position of a series of pyrazolo[3,4-b]pyridines led to a dramatic improvement in the potency of GSK-3 inhibition. Rationalization of the binding mode suggested participation of a putative structural water mol., which was subsequently confirmed by X-ray crystallog.
IT 87768-84-8P
RL: ACT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(arylpyrazolopyridinones as potent inhibitors of glycogen synthase kinase-3)
RN 87769-56-0 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-3-oxo-6-phenyl- (9CI) (CA INDEX NAME)

REFERENCE COUNT: 19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 6 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 2002:220564 CAPLUS
DOCUMENT NUMBER: 136:263177
TITLE: Preparation of pyridazinones and triazinones exhibiting excellent inhibitory activities against AMPA receptor and/or kainate receptor
INVENTOR(S): Nagato, Satoshi; Kawano, Koki; Ito, Koichi; Norimine, Yoshikazu; Ueno, Kohshi; Senada, Takahisa; Amino, Hiroyuki; Ogo, Makoto Hatakeyama, Shinji; Ueno, Masatakar Groom, Anthony Johns Rivers, Leanne; Smith, Terace
PATENT ASSIGNEE(S): Kissi Co., Ltd., Japan
SOURCE: PCT Int. Appl., 174 pp.
CODEN: PIXKD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002022587	A1	20020321	WO 2001-JP8058	20010917
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2001090229	A5	20020326	AU 2001-90229	20010917
CA 2423589	AA	20020317	CA 2001-2423589	20010917
EP 1319659	A1	20030618	EP 2001-970120	20010917
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR				
ZA 2003001537	A	20040225	ZA 2003-1537	20030225
NO 2003001232	A	20030519	NO 2003-1232	20030317
US 2003225081	A1	20031204	US 2003-380743	20030318
PRIORITY APPLN. INFO.:			JP 2000-282636	A 20000918
			JP 2000-289412	A 20000922
			JP 2000-342614	A 20001109
			GB 2001-2822	A 20010205
			GB 2001-2824	A 20010205
			WO 2001-JP8058	W 20010917

OTHER SOURCE(S): MARPAT 136:263177
GI

I

L4 ANSWER 6 OF 24 CAPLUS (Continued)

AB The title compds. (I; wherein A1, A2 and A3 ere each independently C3-8 cycloalkyl, C3-8 cycloalkenyl, e 5- to 14-membered nonerom. heterocyclic group, a C6-14 eromatic cerbocyclic group, or e 5- to 14-membered aromatic heterocyclic group, eny of which may be substituted; Q ie D, S, or NH; 2 is C or N; X1, X2 end X3 are aech independently e single bond, optionally substituted C1-6 elkylena, optionelly substituted C2-6 alkanylene, optionally substitutad C2-6 alkynylene, NH, O, NHCO, CONH, SO0-2, or the like; R1 and R2 ere each independently hydrogen or optionally substituted C1-6 alkyl, or alternatively R1 and R2 may be unitad in such a wey thet CR2-ZR1 forms C:C; and R3 is hydrogen, optionally substituted C1-6 alkyl, C2-6 elkenyl, or C2-6 elkynyl, or elternatively R3 may unite with eny etom on tha ring A1 or A3 to form together with the etom en optionally substituted C5-8 carbocycle or en optionally substituted 5- to 8-membered heterocycle] or salts thereof, or hydretes of both are prepared These compds. do not inhibit N-mathyI-D-espartic ecid (NMDA) receptor but they are excellent inhibitors of α-amino-3-hydroxy-5-methyl-4-isoxezolepropionic ecid (AMPA) receptor and/or kainic acid raceptor. They era useful for the prevention or treetment of ecuta neurodegenerative diseases, acute cerebrel vascular disordars, heed injury, spinal cord injury, nerve disorders caused by low oxygen or sugar level, chronic neurodegeneretive diseeses, Alzheimer's disease, Parkinson's diseeses, Huntington's chorea, amyotrophic lateral sclerosis, spinocerebeller degeneration, epilepsy, hepatic encephelopethy, peripheral nerve disorder, Parkinson's syndrome, spastic hemiplegia (peralysis), pain, neurelgia, schizophrenie,enxiety, drug dependence, neusee, vomiting, urination dieorder, eye eight disorder ceused by gleucoma, hearing dieorders caueed by antibiotics, food poisoning, infectioue encephelomyelitis (including HIV ancephelomyelitis), cerebrel vesculer dementia, dementie ceused by meningitis, end nerve diseeses. They ere eleo used for treetment or prevention of demyelinating diseeses including encephelitis, acute disseminated encephalomyelitie, multiple sclerosis, ecute multiple neuritie, Guillein-Barre eyndroma, chronic inflammatory demyelineting multiple nerve disorders, Nerchifeve-Bignemi diseese, centrel bulbopontine breakdown, optic nerve myelitis, Devic'e disease (neuromyelitis optica), Belo's disease, NIV myelopathy, HTLV myelopathy, progressive white substance encephalopathy or secondery demyelineting diseeses (including central nervous system erythematodes, tuberous multiple polyerteritis, Sjoegren syndrome, sercoidosis, or cerebral angiitis). Thus, to a solution of 75 mg 2-(2-iodophanyl)-4-(3-pyridyl)-2,3-dihydro-5N-[1]benzopyrano[4,3-c]pyridazin-3-one in 2 mL 1-methyl-2-pyrrolidona were added 55 mg Zn(CN)2 and 5 mg tetrakis(triphenylphosphine)palladium and stirred at 100° for 1 h to give 34 mg 2-(2-cyenophenyl)-4-(3-pyridyl)-2,3-dihydro-5H-[1]benzopyreno[4,3-c]pyridezin-3-one (II). II inhibited tha AMPA-induced influx of Ca into rat fetal cerebral cortex nerve cells with IC50 of 0.02 µM.

IT 404933-57-9P, 6-Phenyl-4-(((2-morpholinoathyl)emino)carbonyl)-2H-pyridazin-3-one 404933-59-1P, 6-Phenyl-4-(((2-morpholinoethyl)amino)carbonyl)-2H-pyridazin-3-one hydrochloride
RL: RCT (Reectant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preperation of pyridezinones and triazinones exhibiting excellent inhibitory activities against AMPA receptor end/or kainate receptor for treatment or prevention of ecute or chronic neurodegenerative diseasee)

RN 404933-57-9 CAPLUS

L4 ANSWER 6 DF 24 CAPLUS (Continued)

CN 4-Pyridezinecarboxamide, 2,3-dihydro-N-[2-(4-morpholinyl)ethyl]-3-oxo-6-phenyl- (9CI) (CA INOEX NAME)



RN 404933-59-1 CAPLUS

CN 4-Pyridezinecarboxamide, 2,3-dihydro-N-[2-(4-morpholinyl)ethyl]-3-oxo-6-phenyl-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

REFERENCE COUNT: 12 THERE ARE 12 CITEO REFERENCES AVAILABLE FOR THIS RECORO. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 7 OF 24 CAPLUS

ACCESSION NUMBER: 1999:576914 CAPLUS
DOCUMENT NUMBER: 131:228727
TITLE: Preparetion of pyridazine derivatives es interleukin 1β production inhibitors
INVENTOR(S): Ohkuchi, Mesao; Kyotani, Yoshinori; Shigyo, Hiromichi; Yoshizaki, Hidao; Koshi, Tomoyuki; Kitamura, Takahiro; Matsude, Tekayuki; Oda, Soichi; Habeta, Yuriko; Kotaki, Kyoko
PATENT ASSIGNEE(S): Kowa Co., Ltd., Jepen; at el.
SOURCE: PCT Int. Appl., 112 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
WO 9944995	A1	19990910	WO 1999-JP925		19990226
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, OK, EE, ES, FI, GB, GD, GE, GN, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, X2, LC, LK, LR, LS, LT, LU, LV, ND, MG, NK, NN, MW, MX, NO, N2, PL, PT, RO, RU, SD, SE, SG, SI, SX, SL, TJ, TN, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, A2, BY, KG, KZ, MD, RU, TJ, TM					
RW: GH, GM, KE, LS, MW, SO, SL, SZ, UG, ZW, AT, BE, CH, CY, OE, DK, ES, FI, FR, GB, GR, IE, IT, LU, NC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, NL, NR, NE, SN, TO, TG					
CA 2321254	AA	19990910	CA 1999-2321254		19990226
AU 9926414	A1	19990920	AU 1999-26414		19990226
AU 739431	B2	20011011			
EP 1061077	A1	20001220	EP 1999-906509		19990226
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, NC, PT, IE, FI					
NZ 506144	A	20011130	NZ 1999-506144		19990226
RU 2221790	C2	20040120	RU 2000-124879		19990226
US 6403586	B1	20020611	US 2000-622897		20000831
NO 2000004353	A	20000901	NO 2000-4353		20000901
HK 1035194	A1	20040820	HK 2001-105912		20010822
PRIORITY APPLN. INFO.:			JP 1998-49396	A	19980302
			WO 1999-JP925	W	19990226

GI



I

AB The title compds, I (R1 represents lower alkoxy, lower alkylthio or

L4 ANSWER 7 DF 24 CAPLUS (Continued)

halogeno; R2 represents N, lower elkoxy, lower alkylthio or halogeno; R3 represents OH, CN, helogeno, lower cycloelkyl, lower elkyl or lower alkenyl optionally subetituted by an optionally substituted arom. group or optionelly substituted cerbamoyl; R4 represents COON, lower alkoxycerbonyl, optionelly substituted carbemoyl, optionally substituted amino or optionelly substitutad ureido; and the dotted line meens a singla bond or a double bond between the cerbon etoms et the 4- and 5-positions] are prepd. I ere useful as preventives/remedies for immunol. diseases, inflammatory diseeses, ischemic diseases, etc. In an in vitro test using calls, 2-cyclopropylmethyl-6-(4-methoxyphenyl)-4-methylcarbemoyl-2H-pyridazin-3-one showed IC50 of 0.038 µM egeinst lipopolysaccheride-induced interleukin 1 β prodn.

IT 243862-95-5P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preperation); RACT (Reactant or reagent)
(preperation of pyridezine derivs. as interleukin 1β production inhibitors)

RN 243862-95-5 CAPLUS

CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(4-methoxyphenyl)-N-methyl-3-oxo- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR TNIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 8 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 1999:325827 CAPLUS
DOCUMENT NUMBER: 130:338106
TITLE: Preparation of pyrazole derivatives as adenosine A1 and A2 antagonists
INVENTOR(S): Akahane, Atsushi; Kuroda, Satoru; Itani, Hiromichi
PATENT ASSIGNEE(S): Fujisawa Pharmaceutical Co., Ltd., Japan
SOURCE: PCT Int. Appl., 32 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9924424	A1	19990520	WO 1998-JP4892	19981028
W: CA, CN, JP, KR, US				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
PRIORITY APPLN. INFO.:			JP 1997-306167	A 19971107
OTHER SOURCE(S):	MARPAT 130:338106			

GI



AB The title compds. I [R1 and R2 may be the same or different and each represents optionally substituted aryl; R3 represents hydrogen, lower alkyl, or optionally substituted ar(lower)alkyl; and R4 represents Q1 (wherein R5 represents optionally substituted ar(lower)alkyl or lower alkanoyl(lower)alkyl), etc.], useful as adenosine A1 and A2 antagonists (no data), are prepared. I may serve as preventives and/or remedies for ischemic heart diseases such as angina pectoris, peripheral vascular diseases such as claudication, cerebral ischemia, migraine, diabetes, melancholia, Parkinson's disease, etc. (no data). For example, 3,5-diphenyl-4-[2-(3-methoxyphenyl)-3-oxo-2,3-dihydropyridazin-6-yl]pyrazole was prepared
IT 224579-04-0P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of pyrazole derivs. as adenosine A1 and A2 antagonists)
RN 224573-04-0 CAPLUS
CN 4-Pyridazinecarboxylic acid, 2,3-dihydro-6-(1-methyl-3,5-diphenyl-1H-pyrazol-4-yl)-3-oxo-, hydrazide (9CI) (CA INDEX NAME)

L4 ANSWER 8 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 9 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 1997:158053 CAPLUS
DOCUMENT NUMBER: 127:262667
TITLE: Preparation of pyrazolo[1,5-a]pyridine derivatives as adenosine antagonists and their pharmaceutical uses
INVENTOR(S): Kuroda, Satoshi; Itani, Hiromichi; Akahane, Atsushi
PATENT ASSIGNEE(S): Fujisawa Pharmaceutical Co., Ltd., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 17 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 09216883	A2	19970819	JP 1996-24146	19960209
PRIORITY APPLN. INFO.:			JP 1996-24146	19960209
OTHER SOURCE(S):	MARPAT 127:262667			

GI



AB The derivs. I [R1 = aryl; R2 = cyanohydroxyguanidinyl Q [R3 = H, lower alkyl, acyl-lower alkyl, acyl-lower alkanoyl-lower alkyl; (un)substituted heterocyclyl, (un)substituted lower aralkyls R4 = H, acyl, cyano, heterocyclyl, lower hydroxyalkyl, (hydroxylated) amido; R5 = H, lower alkyls; R4 and/or R5 = substituted], pyridazinyl Q1 [R6 = halo, lower alkoxy, (un)substituted arylamino; R7 = acyl, lower hydroxyalkyl] or their pharmaceutically acceptable salts are claimed. Also claimed are pharmaceuticals containing I or their salts and carriers. I show cognition-enhancing, analgesic, antidepressant, vasodilating, diuretic, cardiotonic, renal circulation-increasing, lipolysis-promoting, antiasthmatic, insulin secretion-promoting, platelet aggregation-inhibiting effects, etc., and are especially useful as cardiac infarction inhibitors, antihypertensives, renal failure inhibitors, and diuretics. 3-Propionyl-2-phenylpyrazolo[1,5-a]pyridine (0.50 g), prepared by acylation of 2-phenylpyrazolo[1,5-a]pyridine with (EtCO)2O, was successively treated with CrO3/H2SO4 at 100° for 45 h then with HONHCO.NH2.HCl at 125° for 8 h to give 0.42 g 3-[4-(2-isopropylidenehydrazinocarbonyl-1,5-methyl-3-oxo-2,3-dihydropyridazin-6-yl]-2-phenylpyrazolo[1,5-a]pyridine.
IT 195827-01-1P 195827-00-0P 195827-03-3P 195827-04-4P 195827-02-2P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of pyrazolo[1,5-a]pyridine derivs. as adenosine antagonists and their pharmaceutical uses)
RN 195826-98-3 CAPLUS

L4 ANSWER 9 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)
CN 4-Pyridinecarboxylic acid, 2,3-dihydro-3-oxo-6-(2-phenylpyrazolo[1,5-a]pyridin-3-yl)-, hydrazide (9CI) (CA INDEX NAME)



RN 195827-00-0 CAPLUS
CN 4-Pyridinecarboxylic acid, 2,3-dihydro-3-oxo-6-(2-phenylpyrazolo[1,5-a]pyridin-3-yl)-, 2-[(1,1-dimethylethoxy)carbonyl]hydrazide (9CI) (CA INDEX NAME)



RN 195827-01-1 CAPLUS
CN 4-Pyridinecarboxamide, 2,3-dihydro-3-oxo-6-(2-phenylpyrazolo[1,5-a]pyridin-3-yl)-N-(3,4,5-trimethoxyphenyl)- (9CI) (CA INDEX NAME)

RN 195827-02-2 CAPLUS
CN Glycine, N-[[2,3-dihydro-3-oxo-6-(2-phenylpyrazolo[1,5-a]pyridin-3-yl)-4-pyridazinyl]carbonyl]-, ethyl ester (9CI) (CA INDEX NAME)

L4 ANSWER 9 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

RN 195827-03-3 CAPLUS
CN Glycine, N-[[2,3-dihydro-3-oxo-6-(2-phenylpyrazolo[1,5-a]pyridin-3-yl)-4-pyridazinyl]carbonyl]- (9CI) (CA INDEX NAME)

RN 195827-04-4 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-3-oxo-6-(2-phenylpyrazolo[1,5-a]pyridin-3-yl)- (9CI) (CA INDEX NAME)



RN 195827-32-8 CAPLUS
CN Carbamic acid, (2,3-dihydro-3-oxo-6-[2-phenylpyrazolo[1,5-a]pyridin-3-yl]-4-pyridazinyl)-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)

L4 ANSWER 10 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 1993:625866 CAPLUS
DOCUMENT NUMBER: 119:225966
TITLE: Preparation and biological activity of aryl substituted nitrogen containing heterocycles
INVENTOR(S): Lins, Gunter; Fieger, Helmut; Himmelsbach, Frank; Austel, Volkhard; Mueller, Thomas; Weisenberger, Johannes; Zeeuwlt-Becker, Elke; Thomae, Dr. Karl, G.m.b.H., Germany
SOURCE: Ger. Pat., 47 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 537696	A1	19930421	EP 1992-117507	19921014
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, NL, PT, SE				
DE 4134467	A1	19930422	DE 1991-4134467	19911010
US 5418223	A	19950523	US 1992-961135	19921014
CA 2080748	AA	19930416	CA 1992-2080748	19921016
NO 9204027	A	19930419	NO 1992-4027	19921016
AU 9227062	A1	19930422	AU 1992-27062	19921016
AU 662930	B2	19950921		
HU 62272	A2	19930628	HU 1992-3264	19921016
JP 05222092	A2	19930831	JP 1992-279178	19921016
ZA 9207934	A	19940418	ZA 1992-7934	19921016
US 5565588	A	19961008	US 1995-375084	19950119
			US 1991-4134467	A 19911010
PRIORITY APPLN. INFO.:			US 1992-961135	A3 19921014

OTHER SOURCE(S): MARPAT 119:225966
AB The preparation of title compds. with fibrinogen-binding, thromboxane, and blood platelet aggregation inhibitor activity is claimed. Thus, reaction of 6-[4-amidinophenyl]-4-[[4-(methoxycarbonyl)butyl]aminocarbonyl]-2-methyl-(2H)-pyridazin-3-one (preparation given) with LiOH.H2O in a mixture of THF-H2O gave 91.1 % 6-[4-amidinophenyl]-4-[[4-(carboxybutyl)aminocarbonyl]-2-methyl-(2H)-pyridazin-3-one. Similarly, a number of pyridazinone and pyrimidine derivs. were prepared and their biol. activity is described.
IT 150594-91-5P
RL: BCP (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and reaction of, in preparation of thromboxane formation inhibitors)
RN 150594-47-1 CAPLUS
CN Pentanoic acid, 5-[[[6-(4-cyanophenyl)-2,3-dihydro-3-oxo-4-pyridazinyl]carbonyl]amino]- (9CI) (CA INDEX NAME)

L4 ANSWER 9 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

L4 ANSWER 10 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

IT 150594-75-5P 150594-91-5P 150595-00-9P
150595-14-5P 150595-39-3P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation and thromboxane formation inhibiting activity of)
RN 150594-75-5 CAPLUS
CN Pentanoic acid, 5-[[[6-[4-(aminoiminomethyl)phenyl]-2,3-dihydro-3-oxo-4-pyridazinyl]carbonyl]amino]- (9CI) (CA INDEX NAME)

RN 150594-91-5 CAPLUS
CN Cyclohexanecarboxylic acid, 4-[[[6-[4-(aminoiminomethyl)phenyl]-2,3-dihydro-3-oxo-4-pyridazinyl]carbonyl]amino]-, trans- (9CI) (CA INDEX NAME)

Relative stereochemistry.



RN 150595-00-9 CAPLUS
CN Pentanoic acid, 5-[[[6-[4-(aminoiminomethyl)phenyl]-2,3-dihydro-3-oxo-4-pyridazinyl]carbonyl]amino]-, methyl ester (9CI) (CA INDEX NAME)



RN 150595-14-5 CAPLUS
CN Cyclohexanecarboxylic acid, 4-[[[6-[4-(aminoiminomethyl)phenyl]-2,3-dihydro-3-oxo-4-pyridazinyl]carbonyl]amino]-, methyl ester, hydrochloride, trans- (9CI) (CA INDEX NAME)

L4 ANSWER 10 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)
Relative stereochemistry.



● x HCl

RN 150595-38-3 CAPLUS
CN Cyclohexanecarboxylic acid, 4-[[[6-[4-(aminoiminomethyl)phenyl]-2,3-dihydro-3-oxo-4-pyridazinyl]carbonyl]amino]-, methyl ester, trans- (9CI) (CA INDEX NAME)

Relative stereochemistry.



L4 ANSWER 11 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)
Thus, 4-(5-cyano-2-pyridyl)phenol (prepn. given) was condensed with (3E,5S)-3-[(tert-butyloxycarbonyl)methyl]-5-[(methanesulfonyloxy)methyl]-2-pyrrolidinone and the product converted in 2 steps to title compd. (3E,5S)-2 which had IC50 of 0.06 μM against collagen-induced platelet aggregation in vitro.

IT 149354-60-9P 149354-62-1P 149354-79-0P
149355-41-9P 149355-53-3P 149377-23-1P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
(preparation of, as cell aggregation inhibitor)

RN 149354-60-9 CAPLUS
CN 3-Pyrrolidineacetic acid, 5-[[[6-[4-(aminoiminomethyl)phenyl]-2,3-dihydro-3-oxo-4-pyridazinyl]carbonyl]amino]methyl]-2-oxo-, (3S-trans)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

RN 149354-62-1 CAPLUS
CN 3-Pyrrolidineacetic acid, 5-[[[[6-[4-(aminoiminomethyl)phenyl]-2,3-dihydro-3-oxo-4-pyridazinyl]carbonyl]amino]methyl]-2-oxo-1-(3-phenylpropyl)-, (3S-trans)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 149354-79-0 CAPLUS
CN 3-Pyrrolidineacetic acid, 5-[[[[6-[4-(aminoiminomethyl)phenyl]-2,3-dihydro-3-oxo-4-pyridazinyl]carbonyl]amino]methyl]-2-oxo-1-(3-phenylpropyl)-, methyl ester, monohydrochloride, (3S-trans)- (9CI) (CA INDEX NAME)

L4 ANSWER 13 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 1993:517098 CAPLUS
DOCUMENT NUMBER: 119:117098
TITLE: Preparation of 2-pyrrolidinone-3-acetates and analogs as cell aggregation inhibitors
INVENTOR(S): Austel, Volkhard; Eisert, Wolfgang; Himmelsbach, Frank; Linz, Guenter; Mueller, Thomas; Pieper, Helmut; Walsenberger, Johannes
PATENT ASSIGNEE(S): Thomae, Dr. Karl, G.m.b.H., Germany
SOURCE: Eur. Pat. Appl., 73 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 528369	A2	19930224	EP 1992-113877	19920814
EP 528369	A3	19930421		
EP 528369	B1	19951124		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, NL, PT, SE				
DE 4127404	A1	19930225	DE 1991-4127404	19910819
AT 186956	E	19991215	AT 1992-113877	19920814
CA 2076311	AA	19930220	CA 1992-2076311	19920814
NO 9203235	A	19930222	NO 1992-3235	19920818
AU 9221119	A1	19930225	AU 1992-21119	19920818
AU 654372	B2	19941103		
JP 06025227	A2	19940201	JP 1992-219149	19920818
ZA 9206205	A	19940218	ZA 1992-6205	19920818
IL 102847	A1	19961114	IL 1992-102847	19920818
US 5455348	A	19951003	US 1993-173603	19931223
			US 1992-929870	B1 19920814
PRIORITY APPLN. INFO.:			DE 1991-4127404	A 19910819
OTHER SOURCE(S):	MARPAT 119:117098			
GI				



I

AB RYAX1K2X3X4K5S [A = (substituted) bivalent (oxo)alkyleniminoc R = NH2, C(:NH)NH2, NHC(:NH)NH2, etc.; Y = CO2H, alkoxycarbonyl, etc.; X1 = bond, alkylene; X2 = bond, O, NH, SO2NH, etc.; X3, X5 = (hetero)cycloalkylene, (hetero)arylene, etc.; X4 = bond, O, CH2, CO, NH, etc.; X3X4X5 = phenylene, (CH2)2-5, etc.; T = alkylene, NHCH2, SOCH2, etc.] were prepared

L4 ANSWER 11 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)
Absolute stereochemistry.



● HCl

RN 149355-41-9 CAPLUS
CN 3-Pyrrolidineacetic acid, 5-[[[[6-(4-cyanophenyl)-2,3-dihydro-3-oxo-4-pyridazinyl]carbonyl]amino]methyl]-2-oxo-, methyl ester, (3S-trans)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 149355-53-3 CAPLUS
CN 3-Pyrrolidineacetic acid, 5-[[[[6-(4-cyanophenyl)-2,3-dihydro-3-oxo-4-pyridazinyl]carbonyl]amino]methyl]-2-oxo-1-(3-phenylpropyl)-, methyl ester, (3S-trans)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

L4 ANSWER 11 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 149377-23-1 CAPLUS
CN 3-Pyrrolidineacetic acid, 5-[[[6-[4-(aminoiminomethyl)phenyl]-2,3-dihydro-3-oxo-4-pyridazinyl]carbonyl]amino]methyl]-2-oxo-, methyl ester, monohydrochloride, (3S-trans)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A



PAGE 2-A

● HCl

L4 ANSWER 12 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)
(9CI) (CA INDEX NAME)

L4 ANSWER 12 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 1991:206976 CAPLUS
DOCUMENT NUMBER: 114:206976
TITLE: Synthesis of aza analogs of amrinone
AUTHOR(S): Singh, Baldev Lashar, George Y.
CORPORATE SOURCE: Dep. Med. Chem., Starling Res. Group, Rensselaer, NY, 12144, USA
SOURCE: Heterocycles (1990), 31(12), 2163-72
CODEN: HTCYAM; ISSN: 0385-5414
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 114:206976
GI



AB The aldol condensation product I of 4-acetylpyridine and CO(CO2Et)2 was converted to pyridazineacarboxylic acid hydrazide II (R = CONHNH2) (III). Curtius reaction of III gave aminopyridazinone II (R = NH2). The condensation of (4-pyridyl)glyoxal with aminomalonamide RCH(CONHR)2 yielded pyrazineacarboxamide IV (R1 = CONH2) which was transformed to aminopyrazinone IV (R1 = NH2) by the Hofmann reaction. Curtius reaction of 1,2,4-triazinone-5-carbonylic acid V (R2 = CO2H) gave aminotriazinone V (R2 = NH2). Desethylation of methoxypyrazidine VI (R3 = Me) gave pyrimidinol VI (R3 = H).

IT 80843-46-5P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and Curtius reaction of)

RN 80843-46-5 CAPLUS
CN 4-Pyridazinecarboxylic acid, 2,3-dihydro-3-oxo-6-(4-pyridinyl)-, hydrazide

L4 ANSWER 13 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 1990:91460 CAPLUS
DOCUMENT NUMBER: 112:91460
TITLE: Pyridazines. Part 43. Pyridazine analogs of biologically active compounds. Part 5: Novel potential cardiotonics of the amrinone type
AUTHOR(S): Haider, N.; Heinisch, G.; Offenberger, Sigrid
CORPORATE SOURCE: Inst. Pharm. Chem., Univ. Vienna, Vienna, A-1090, Austria
SOURCE: Pharmazie (1989), 44(9), 598-601
CODEN: PHARAT; ISSN: 0031-7144
DOCUMENT TYPE: Journal
LANGUAGE: English
GI

I, R=NH2, X=CH
II, R=CN, X=CMe
III, R=NH2, X=N

AB Preparation of a series of novel pyridazine derivs. structurally related to hydrindine cardiotonics, starting from 4-methylpyridazine or 4-acetylpyridazine, resp., is described. As observed with I, II and III, an enhancement of in vitro cardiotonic activity was associated with the replacement of one or both pyridine subunit(s) in amrinone or milrinone by a 1,2-diazine system.

IT 125375-18-0P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and Hofmann degradation of)

RN 125375-18-0 CAPLUS
CN [3,4'-Bipyridazine]-5-carboxamide, 1,6-dihydro-6-oxo- (9CI) (CA INDEX NAME)

L4 ANSWER 14 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 1989:497259 CAPLUS
DOCUMENT NUMBER: 111:97259
TITLE: Preparation of phenylpyridazinone derivatives as cardiotonics and antihypertensives
INVENTOR(S): Sircar, Ilo; Bristol, James A.
PATENT ASSIGNEE(S): Warner-Lambert Co., USA
SOURCE: U.S., 19 pp. Cont.-in-part of U.S. Ser. No. 407,973.
CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 3
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 4734415	A	19880329	US 1983-477695	19830322
US 4353905	A	19821012	US 1981-302181	19810917
PRIORITY APPLN. INFO.:			US 1981-302181	A2 19810917
			US 1982-402488	A2 19820727
			US 1982-407973	A2 19820813

OTHER SOURCE(S): CASREACT 111:97259; MARPAT 111:97259
GI



I

AB The title compds. [I; dotted line represents single or double bond; X = O, S; R2 = H, lower alkyl; R3 = H, lower alkyl; when dotted line represents a single bond, R3 = di(lower alkyl); R4 = H, lower alkyl; or when dotted line represents a double bond, R4 = H, lower alkylamino, cyano, OH, CHCONH2, CONHSO2R6, etc.; R3R4 = atoms to complete a carbocycle of 3-6 atoms; R5, R6 = H, alkyl; Y = H, halo, lower alkyl, alkoxy etc.; A = N1; R1 = N-attached, (un)substituted, 5- or 6-membered heterocyclyl, optionally containing other hetero atoms; Z = bond, (CH2)nO in the 4-position; n = 2-5] and their pharmaceutically acceptable salts, useful as cardiotonics and antihypertensives, were prepared
IT 97150-66-8P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and reaction of, in preparation of cardiotonic and antihypertensive)
RN 97150-66-8 CAPLUS
CN 4-Pyridazinecarboxylic acid, 2,3-dihydro-6-[4-(1H-imidazol-1-yl)phenyl]-3-oxo-, hydrazide (9CI) (CA INDEX NAME)

L4 ANSWER 15 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 1989:114776 CAPLUS
DOCUMENT NUMBER: 110:114776
TITLE: 3-Aminopyridazine derivatives with atypical antidepressant, serotonergic and dopaminergic activities
AUTHOR(S): Wermuth, Camille Georges; Schlewer, Gilbert; Bourguignon, Jean Jacques; Maghioros, Georges; Bouchet, Marie Jeanne; Moire, Claudine; Kan, Jean Paul; Worms, Paul; Biziere, Kathleen
CORPORATE SOURCE: Dep. Pharmacochim. Pol., Univ. Louis Pasteur, Strasbourg, 67084, Fr.
SOURCE: Journal of Medicinal Chemistry (1989), 32(3), 528-37
CODEN: JMCMAR; ISSN: 0022-2623
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 110:114776
GI



I

AB Forty-seven substituted enelogs of mineprine, e.g., I, were synthesized and tested for their potential antidepressant, serotonergic, and dopaminergic activities. The structure-activity relationships show that dopaminergic and serotonergic activities can be dissociated. Serotonergic activity appears to be correlated mainly with the substituent in the 4-position of the pyridazine ring whereas the dopaminergic activity appears to be dependent on the presence, or in the formation, of a para-hydroxylated aryl ring in the 6-position of the pyridazine ring.
IT 97742-86-0P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and chlorination of)
RN 97742-86-0 CAPLUS
CN 4-Pyridazinecarbonamide, 2,3-dihydro-3-oxo-6-phenyl- (9CI) (CA INDEX NAME)



L4 ANSWER 16 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 1987:590252 CAPLUS
DOCUMENT NUMBER: 107:190252
TITLE: Cardiotonic agents. 7. Inhibition of separated forms of cyclic nucleotide phosphodiesterases from guinea pig cardiac muscle by 4,5-dihydro-6-[4-(1H-imidazol-1-yl)phenyl]-3(2H)-pyridazinones and related compounds. Structure-activity relationships and correlation with in vivo positive inotropic activity
AUTHOR(S): Sircar, Ilo; Weishaar, Ronald E.; Kobylarz, Dianne; Moos, Walter H.; Bristol, James A.
CORPORATE SOURCE: Dep. Chem., Warner-Lambert/Parke-Davis Pharm. Res., Ann Arbor, MI, 48105, USA
SOURCE: Journal of Medicinal Chemistry (1987), 30(11), 1955-62
CODEN: JMCMAR; ISSN: 0022-2623
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 107:190252
GI



I



II



III

AB Imidazolylphenylpyrazolinone I was prepared from benzonitrile II. The structure-activity relationships of a series of 4,5-dihydro-6-[4-(1H-imidazol-1-yl)phenyl]-3(2H)-pyridazinones, e.g., III (R = H, Me, CH2Ph, CH2CH2OH, CH2CH2NMe2; R1 = H, Me, NH2, CONH2; R2 = H, Me, R1; R3 = H, Me, SH, SMe, SOMe, Et), I and related compds. were investigated for the in vivo inhibition of different forms of cyclic nucleotide phosphodiesterase (PDE) isolated from guinea pig ventricular muscle. With few exceptions, these 4,5-dihydropyridazinones were potent inhibitors of cardiac type III phosphodiesterase, which is a low Km, cAMP specific form of the enzyme. The inhibitory effects on cardiac type I and type II phosphodiesterase, both of which hydrolyze cAMP as well as cyclic GMP, were minimal. The most selective PDE III inhibitor was CI-930 III (R = R1 = R3 = H, R2 = Me) (IV), the 5-Me analog of imazodan III (R = R3 = H) with an ID50 of 0.6 μM. The most potent inhibitor of PDE III was the 4,5,6,7-tetrahydrobenzimidazole analog of IV, with an ID50 of 0.15 μM. The structural features that impart both selectivity for inhibiting type III phosphodiesterase and potency of inhibition and correlations between in vitro PDE inhibitory potency, in vivo pos. inotropic potency, and physicochem. properties are discussed.
IT 97150-68-8 97150-67-9
RL: RCT (Reactant); RACT (Reactant or reagent)
(phosphodiesterase inhibitory activity of)
RN 97150-66-8 CAPLUS
CN 4-Pyridazinecarboxylic acid, 2,3-dihydro-6-[4-(1H-imidazol-1-yl)phenyl]-3-oxo-, hydrazide (9CI) (CA INDEX NAME)

L4 ANSWER 14 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



IT 97150-66-8
RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, in preparation of pyridazinone cardiotonic and antihypertensive)
RN 97150-66-8 CAPLUS
CN 4-Pyridazinecarboxylic acid, 2,3-dihydro-6-[4-(1H-imidazol-1-yl)phenyl]-3-oxo-, hydrazide (9CI) (CA INDEX NAME)

L4 ANSWER 16 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



RN 97150-67-9 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-[4-(1H-imidazol-1-yl)phenyl]-3-oxo- (9Cl) (CA INDEX NAME)



L4 ANSWER 17 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 1967:213860 CAPLUS
DOCUMENT NUMBER: 106:213860
TITLE: The reaction of pyridazinones with nucleophiles. An unusual reaction with cyanide
AUTHOR(S): Badger, Edward W.; Moos, Walter H.
CORPORATE SOURCE: Dep. Chem., Warner-Lambert/Parke-Davis Pharm. Res., Ann Arbor, MI, 48105, USA
SOURCE: Journal of Heterocyclic Chemistry (1966), 23(5), 1515-17
CODEN: JHTCAD; ISSN: 0022-152X
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 106:213860
GI



AB Studies on the synthesis of pyridazinone analogs of pyridone cardiotonics are reported. The synthetic scheme involves the reaction of pyridazinones and chloropyridazinones I (R = H, Cl; R1 = H, Cl) with nucleophiles. Addition occurred twice with cyanide as the nucleophile, thus providing a novel dicyanopyridazinone I (R = R1 = cyano).
IT 97150-88-8
RL: RCT (Reactant); RACT (Reactant or reagent)
(Curtis rearrangement of)
RN 97150-66-6 CAPLUS
CN 4-Pyridazinecarboxylic acid, 2,3-dihydro-6-(4-(1H-imidazol-1-yl)phenyl]-3-oxo-, hydrazide (9Cl) (CA INDEX NAME)



L4 ANSWER 18 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 1985:160462 CAPLUS
DOCUMENT NUMBER: 103:160462
TITLE: Cardiotonic agents. 2. Synthesis and structure-activity relationships of 4,5-dihydro-6-[4-(N-imidazol-1-yl)phenyl]-3(2H)-pyridazinones: a new class of positive inotropic agents
AUTHOR(S): Robertson, Jim Duell, Bradley L.; Bobowski, George; Bristol, James A.; Evans, Dale B.
CORPORATE SOURCE: Dep. Chem., Warner-Lambert/Parke-Davis Pharm. Res., Ann Arbor, MI, 48105, USA
SOURCE: Journal of Medicinal Chemistry (1985), 28(10), 1405-13
CODEN: JMCMAR; ISSN: 0022-2623
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 103:160462
GI



AB A series of 4,5-dihydro-6-[4-(1H-imidazol-1-yl)phenyl]-3(2H)-pyridazinones and related compds. were synthesized and evaluated for pos. inotropic activity. Most members of this series produced dose-related increases in myocardial contractility that were associated with relative minor increases in heart rate and decreases in systemic arterial blood pressure. Introduction of a Me substituent at the 5-position of pyridazinone I (R = H) (II) produced the most potent compound in this series, I (R = Me) (III). Compound II is more potent than amrinone whereas compound III is more potent than milrinone. The inotropic effects of II and III are not mediated via stimulation of β-adrenergic receptors. Selective inhibition of cardiac phosphodiesterase fraction III represents the principal component of the pos. inotropic action of II and III.
IT 97150-67-9P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
(preparation and inotropic activity of)
RN 97150-67-9 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-[4-(1H-imidazol-1-yl)phenyl]-3-oxo- (9Cl) (CA INDEX NAME)



L4 ANSWER 18 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

IT 97150-66-5P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation, hydrolysis, and inotropic activity of)
RN 97150-66-6 CAPLUS
CN 4-Pyridazinecarboxylic acid, 2,3-dihydro-6-(4-(1H-imidazol-1-yl)phenyl]-3-oxo-, hydrazide (9Cl) (CA INDEX NAME)



L4 ANSWER 19 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 1985:62255 CAPLUS
DOCUMENT NUMBER: 102:62255
TITLE: Pyridazine derivative having s psychotropic action and medicines containing them
INVENTOR(S): Kan, Jean Paul; Bizlere, Kathleen; Wermuth, Camille Georges
PATENT ASSIGNEE(S): Sanofi, Fr.
SOURCE: Fr. Demande, 12 pp.
CODEN: FRXXBL
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
FR 2540115	A1	19840803	FR 1983-1366	19830128
FR 2540115	B1	19850607		
US 4563814	A	19860121	US 1984-571696	19840118
CA 1218655	A1	19870303	CA 1984-445482	19840118
DK 8400259	A	19840729	DK 1984-259	19840120
DK 159960	B	19910107		
DK 159960	C	19910527		
ZA 8400500	A	19840829	ZA 1984-500	19840123
IL 70755	A1	19870331	IL 1984-70755	19840123
AU 8423728	A1	19840802	AU 1984-23728	19840124
AU 566352	B2	19871015		
ES 529108	A1	19841001	ES 1984-529108	19840124
EP 116494	A1	19840822	EP 1984-400157	19840125
EP 116494	B1	19880127		
R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE				
AT 32220	E	19880215	AT 1984-400157	19840125
FI 8400349	A	19840729	FI 1984-349	19840127
FI 77453	B	19881130		
FI 77453	C	19890310		
NO 8400329	A	19840730	NO 1984-329	19840127
HU 33148	O	19841029	HU 1984-378	19840127
HU 192975	B	19870828		
SU 215542	A5	19841114	DD 1984-259679	19840127
SU 1274623	A3	19861130	SU 1984-3697653	19840127
PL 143994	B1	19880430	PL 1984-245932	19840127
CS 274405	B2	19910411	CS 1984-614	19840127
JP 59141565	A2	19840814	JP 1984-14195	19840128
US 4631280	A	19861223	US 1985-735580	19850520
CA 8506215	A	19851208	DK 1989-6215	19891208
DK 162218	b	19910930		
DK 162218	C	19920302		
DK 8506216	A	19851208	DK 1989-6216	19891208
DK 162219	b	19910930		
DK 162219	C	19920302		

PRIORITY APPLN. INFO.: FR 1983-1366 A 19830128
FR 1983-18433 A 19831118
US 1984-571696 A3 19840118
EP 1984-400157 A 19840125

OTHER SOURCE(S): CASREACT 102:62255

L4 ANSWER 19 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)
GI

AB 3-[2-(4-Morpholinyl)ethylexino]-6-phenyl-4-pyridazinecarbonitrile dihydrochloride (I) was prepared, and it showed antidepressant activity. The cyclocondensation of PhCOCH2CH(CO2Et)2 with N2H4 gave pyridazinone derivative II, which was brominated and dehydrobromonated to give ester III (R = OEt); the latter was converted to amide III (R = NH2). The amide was treated with POCl3 to give 3-chloro-6-phenyl-4-pyridinecarbonitrile, and the product was treated with 4-(2-aminoethyl)morpholine and HCl to give I.
IT 87769-56-0P
RL: RCT (Reactant); SFN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and dehydration of, by phosphoryl chloride)
RN 87769-56-0 CAPLUS
CN 4-pyridazinecarboxamide, 2,3-dihydro-3-oxo-6-phenyl- (9CI) (CA INDEX NAME)

L4 ANSWER 20 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 1985:24642 CAPLUS
DOCUMENT NUMBER: 102:24642
TITLE: Pyridazine derivatives with psychotropic activity and intermediates
INVENTOR(S): Bizlere, Kathleen; Kan, Jean Paul; Wermuth, Camille Georges
PATENT ASSIGNEE(S): Sanofi, Fr.
SOURCE: Eur. Pat. Appl., 29 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 116494	A1	19840822	EP 1984-400157	19840125
EP 116494	B1	19880127		
R: AT, BE, CH, DE, FR, GB, IT, LI, LU, NL, SE				
FR 2540115	A1	19840803	FR 1983-1366	19830128
FR 2540115	B1	19850607		
FR 2555178	A1	19850524	FR 1983-18433	19831118
FR 2555178	B1	19860418		
AT 32220	E	19880215	AT 1984-400157	19840125

PRIORITY APPLN. INFO.: FR 1983-1366 A 19830128
FR 1983-18433 A 19831118
EP 1984-400157 A 19840125

OTHER SOURCE(S): CASREACT 102:24642
GI



AB 3-Amino-4-pyridazinecarbonitriles I [one of R and R1 is H or alkyl, and the other is H, alkyl, cycloalkyl, Ph, or substituted Ph, naphthyl, thienyl, 3-indolyl; Z = CH2CH2, CH2CHMe, (CH2)3; R2 = H and R3 = H, CH2CH2OH, or NR2R3 = 4-morpholinyl, 3-oxo-4-morpholinyl], which were prepared, showed psychotropic activity. 3-Chloro-6-phenyl-4-pyridinecarbonitrile was heated with 4-(2-aminoethyl)morpholine in BuOH to give I (R = Ph, R1 = H, Z = CH2CH2, NR2R3 = 4-morpholinyl).
IT 87769-56-0P
RL: RCT (Reactent); SFN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and reaction of, with phosphoryl chloride)
RN 87769-56-0 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-3-oxo-6-phenyl- (9CI) (CA INDEX NAME)

L4 ANSWER 20 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



IT 94011-51-5 94011-52-6 94011-53-7
94011-54-8 94011-55-9 94011-56-0
94011-57-1 94011-58-2 94011-59-3
94011-60-6 94011-61-7 94011-62-8
94011-63-9
RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, with phosphoryl chloride)
RN 94011-51-5 CAPLUS
CN 4-Pyridazinecarboxamide, 6-(4-chlorophenyl)-2,3-dihydro-3-oxo- (9CI) (CA INDEX NAME)



RN 94011-52-6 CAPLUS
CN 4-Pyridazinecarboxamide, 6-cyclohexyl-2,3-dihydro-3-oxo- (9CI) (CA INDEX NAME)

RN 94011-53-7 CAPLUS
CN 4-Pyridazinecarboxamide, 6-(2,4-dichlorophenyl)-2,3-dihydro-3-oxo- (9CI) (CA INDEX NAME)

L4 ANSWER 20 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

RN 94011-54-8 CAPLUS
CN 4-Pyridazinecarboxamide, 6-(2-chlorophenyl)-2,3-dihydro-3-oxo- (9CI) (CA INDEX NAME)

RN 94011-55-9 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-3-oxo-6-(2-thienyl)- (9CI) (CA INDEX NAME)

RN 94011-56-0 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(4-methoxyphenyl)-3-oxo- (9CI) (CA INDEX NAME)

L4 ANSWER 20 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

RN 94011-57-1 CAPLUS
CN 4-Pyridazinecarboxamide, 6-(3,4-dichlorophenyl)-2,3-dihydro-3-oxo- (9CI) (CA INDEX NAME)

RN 94011-58-2 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(2-naphthalenyl)-3-oxo- (9CI) (CA INDEX NAME)

RN 94011-59-3 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(4-nitrophenyl)-3-oxo- (9CI) (CA INDEX NAME)

L4 ANSWER 20 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

RN 94011-60-6 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-6-(4-methylphenyl)-3-oxo- (9CI) (CA INDEX NAME)

RN 94011-61-7 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-3-oxo-6-[4-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)

RN 94011-62-8 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-3-oxo-6-[3-(trifluoromethyl)phenyl]- (9CI) (CA INDEX NAME)

RN 94011-63-9 CAPLUS
CN 4-Pyridazinecarboxamide, 6-(4-cyanophenyl)-2,3-dihydro-3-oxo- (9CI) (CA INDEX NAME)

L4 ANSWER 20 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)

L4 ANSWER 21 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1984:630453 CAPLUS
DOCUMENT NUMBER: 101:230453
TITLE: Novel amination of 6-aryl-3(2H)-pyridazinones with hydrazine
AUTHOR(S): Singh, Baldev
CORPORATE SOURCE: Sterling-Winthrop Res. Inst., Rensselaer, NY, 12144, USA
SOURCE: Heterocycles (1984), 22(8), 1801-4
CODEN: HTCYAM; ISSN: 0385-5414
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 101:230453
GI



AB Aminopyridazinones I (R = H, Me; R1 = 4-pyridyl, 4-H2NC6H4, 4-HOC6H4) were prepared from II (R2 = 4-pyridyl, 4-AcNHC6H4, 4-HOC6H4). II (R = H, R2 = 4-pyridyl) was heated with N2H4 to give I (R = H, R1 = 4-pyridyl).
IT 80643-48-8
RL: RCT (Reactant); RACT (Reactant or reagent)
(attempted rearrangement of, with hydrazine)
RN 80643-48-8 CAPLUS
CN 4-Pyridazinecarboxylic acid, 2,3-dihydro-3-oxo-6-(4-pyridinyl)-, hydrazide (9CI) (CA INDEX NAME)

L4 ANSWER 22 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1984:174757 CAPLUS
DOCUMENT NUMBER: 100:174757
TITLE: Synthesis of 4-amino-6-phenyl-3(2H)-pyridazinones: a general procedure
AUTHOR(S): Sircar, Ila
CORPORATE SOURCE: Dep. Chem., Warner-Lambert/Parke-Davis Pharm. Res., Ann Arbor, MI, 48105, USA
SOURCE: Journal of Heterocyclic Chemistry (1983), 20(6), 1473-6
CODEN: JHTCAD; ISSN: 0022-152X
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 100:174757
GI



AB 3,4-Dichloro-6-phenylpyridazine (I) was prepared by treating 2-benzyl-4,5-dihydro-6-phenyl-3(2H)-pyridazinone with PCl5-POCl3. I was aminated to give II [R = NHe2, NH(CH2)3NMe2, NHBu, 4-methylpiperizino, morpholino, thiomorpholino; R1 = Cl] which were hydrolyzed with acid to II (R1 = OH).
IT 87769-46-0P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation and Hofmann degradation of)
RN 87769-56-0 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-3-oxo-6-phenyl- (9CI) (CA INDEX NAME)

L4 ANSWER 23 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN
ACCESSION NUMBER: 1981:194988 CAPLUS
DOCUMENT NUMBER: 95:194988
TITLE: Substituted 6-phenyl-3(2H)-pyridazinones useful as cardiotonic agents
INVENTOR(S): Sircar, Ila
PATENT ASSIGNEE(S): Warner-Lambert Co., USA
SOURCE: U.S., 6 pp.
CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 4404203	A	19830913	US 1981-263643	19810514
US 4397764	A	19830809	US 1981-325719	19811130
PRIORITY APPLN. INFO.:			US 1981-263643	A2 19810514

OTHER SOURCE(S): CASREACT 95:194988
GI



AB The cardiotonic title compds. I [R = H, alkyl, PhCH2, Ph; R1 = H, R2 = CF3, PhCH2, cyano, CO2H, CONR3R4 (R3 = H, alkyl), CH2NR3R4, CH2OH, NR5R6; R2 = H, R1 = CF3, cyano, CONR3R4, CH2NR3R4, NR5R6; R3, R4 = H, halo, alkyl, alkoxy, NO, PhO, sulfonamido; dotted line represents single or double bond] were prepared. Thus, 89 g PhCOCH2CH2CO2H was cyclized with H2NNH2.H2O in EtOH to give 75.6 g 6-phenyl-4,5-dihydro-3(2H)-pyridazinone, which was dehydrogenated by treatment with Br to give 80 g 6-phenyl-3(2H)-pyridazinone (II). At 0.1 mg/kg I1 increased cardiac contractility by 5.2% in dogs.
IT 87769-58-0P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and dehydration of)
RN 87769-58-0 CAPLUS
CN 4-Pyridazinecarboxamide, 2,3-dihydro-3-oxo-6-phenyl- (9CI) (CA INDEX NAME)



L4 ANSWER 23 OF 24 CAPLUS COPYRIGHT 2006 ACS on STN (Continued)

L4 ANSWER 24 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 1982:85571 CAPLUS
DOCUMENT NUMBER: 96:85571
TITLE: 4-Substituted 6-(pyridinyl)-3(2H)-pyridazinones, intermediates in their production and their use as cardiotonic agents
INVENTOR(S): Lesher, George Yoha; Dickinson, William Borden; Singh, Baldev
PATENT ASSIGNEE(S): Sterling Drug Inc., USA
SOURCE: Fr. Demande, 36 pp.
CODEN: FRXXBL
DOCUMENT TYPE: Patent
LANGUAGE: French
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
FR 2481264	A1	19811030	FR 1981-8251	19810424
US 4304776	A	19811208	US 1980-144697	19800428
US 4305943	A	19811215	US 1980-144563	19800428
US 4339446	A	19820706	US 1981-238483	19810226
US 4346221	A	19820824	US 1981-259566	19810502
AU 8169724	A1	19811105	AU 1981-69724	19810422
GB 2075500	A	19811118	GB 1981-12638	19810423
GB 2075500	B2	19840606		
ZA 8102652	A	19820526	ZA 1981-2652	19810423
BE 888566	A1	19811027	BE 1981-10209	19810427
DK 8101966	A	19811029	DK 1981-1966	19810427
FI 8101304	A	19811029	FI 1981-1304	19810427
NO 8101420	A	19811029	NO 1981-1420	19810427
SE 8102660	A	19811029	SE 1981-2660	19810427
ES 501668	A1	19830101	ES 1981-501668	19810427
CA 1164253	A1	19840424	CA 1981-376389	19810427
CA 1166256	A1	19840424	CA 1981-376317	19810427
NL 8102077	A	19811116	NL 1981-2077	19810428
JP 56167664	A2	19811223	JP 1981-65103	19810428
DE 3116561	A1	19820114	DE 1981-3116561	19810421

PRIORITY APPLN. INFO.: US 1980-144563 A 19800428
US 1980-144697 A 19800428

OTHER SOURCE(S): CASREACT 96:85571
GI

L4 ANSWER 24 OF 24 CAPLUS COPYRIGHT 2005 ACS on STN (Continued)



AB Cardiotonic (no data), pyridylpyridazinones I (R = H, alkyl, hydroxyalkyl; R1 = NH2, CONH2, CO2H, CONHNH2, alkoxycarbonyl) were prepared Thus 4-acetylpyridine was treated with C(CO2Et)2 to give II which was cyclized with N2H4 and dehydrated to give III (R1 = CO2Et). The ester was converted to the hydrazide and then the azide which was subjected to Curtius rearrangement, hydrolysis, and decarboxylation to give III (R1 = NH2).

IT 80643-46-5P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation and reaction of, with nitrite)

RN 80643-46-5 CAPLUS
CN 4-Pyridazinecarboxylic acid, 2,3-dihydro-3-oxo-6-(4-pyridinyl)-, hydrazide (9CI) (CA INDEX NAME)